



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>A23L 1/237, 1/304, A61K 33/00</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 98/28989</b> <b>(43) International Publication Date:</b> 9 July 1998 (09.07.98)
<b>(21) International Application Number:</b> PCT/FI97/00798 <b>(22) International Filing Date:</b> 17 December 1997 (17.12.97) <b>(30) Priority Data:</b> 965251 30 December 1996 (30.12.96) FI <b>(71) Applicant (for all designated States except US):</b> PHARMA-CONSULT OY [FI/FI]; Riippakoivunkuja 5, FIN-02130 Espoo (FI). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> KARPPANEN, Heikki, Olavi [FI/FI]; Riippakoivunkuja 5, FIN-02130 Espoo (FI). KARPPANEN, Pasi, Heikki [FI/FI]; Haahkatie 8 A 4, FIN-00200 Helsinki (FI). KARPPANEN, Pirjo, Kylli, Maria, Laelia [FI/FI]; Riippakoivunkuja 5, FIN-02130 Espoo (FI). NEVALAINEN, Mari, Laelia, Susanna [FI/FI]; Päävankilontie 6 B 11, FIN-02210 Espoo (FI). <b>(74) Agent:</b> RUSKA & CO. OY; Runeberginkatu 5, FIN-00100 Helsinki (FI).		<b>(81) Designated States:</b> AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> METHOD AND COMPOSITIONS FOR WEIGHT CONTROL  <b>(57) Abstract</b>  <p>A method for the preparation of food items, food ingredients and food seasoning is disclosed. The ultimate food items contain a raised level of the minerals magnesium, calcium and potassium. Ingestion of such food items has an advantageous effect on body weight and can be used for controlling obesity. Also disclosed are seasonings for use in the preparation of the said food items, and use of such seasonings.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## METHOD AND COMPOSITIONS FOR WEIGHT CONTROL

### FIELD OF THE INVENTION

The invention relates to the field of weight control. Particularly, the invention relates to the control of obesity by means of certain mineral element nutrients.

### BACKGROUND OF THE INVENTION

The intake of various nutrients according to the Recommended Dietary Allowance (RDA, National Research Council, U.S.: Recommended Dietary Allowances. 10th Edition. National Academy Press, Washington, D.C., 1989) is considered to represent the level which guarantees an optimum condition for the maintenance of health. Depending on the gender, age, size, and physiological condition of an individual, the RDA for calcium varies from 0.36 g to 1.2 g, that for magnesium from 0.05 g to 0.45 g, and that for potassium from 0.35 g to 2 g per day. The opinion of the leading experts in the fields of both nutrition and medicine is, that in the industrialized societies, the current concentrations of the mineral element nutrients calcium, magnesium, and potassium in various food items are appropriate to provide these nutrients in the RDA amounts. It is believed that intakes exceeding the RDA are not able to produce any additional beneficial effects as compared with the RDA levels. Quite the contrary, there have been warnings about possible toxic and other harmful effects if the RDA levels are clearly higher than the RDA for prolonged periods of time.

Therefore, these mineral elements are supplemented as a medical therapy in the form of capsules, tablets or solutions only for the correction of existing deficiency in the body or for the prevention of the development of a deficiency which is known to produce various deficiency symptoms or even deficiency diseases. Very seldom foods may be enriched with these nutrients. However, it should be emphasized that the only purpose of any such supplementation is to produce intake levels in accordance with RDA, and/or the prevention or correction of a deficiency of the said nutrients.

Obesity is one of the main risk factors for a number of common and serious diseases of the industrialized populations. Such obesity-associated diseases comprise, for example, high blood pressure with its serious consequences, diabetes, and certain types of cancer. Huge economical and medical efforts are exercised to reduce obesity in various population. Unfortunately, no safe, practical and effective method to be used for the population control of

obesity is available. In fact, efforts to prevent and decrease overweight have failed in the majority of individuals, and obesity is a continuously increasing problem in most industrialized populations, including USA, Great Britain, Finland and many other countries.

## 5 SUMMARY OF THE INVENTION

We have now discovered that, contrary to the current knowledge and best medical and nutrition skill, the incorporation of potassium and, in particular, calcium and magnesium in various food items at concentrations which exceed the current levels, produces totally unexpected beneficial effects on obesity which is a state of excessive accumulation of fat tissue  
10 in the body.

The present invention provides an effective and practical means to prevent the development of obesity and to decrease existing obesity, and is also able to produce other beneficial effects.

One objective of the invention is to provide a method of producing food seasonings, food  
15 ingredients and food items, the method comprising incorporation of at least one of the mineral elements potassium and, in particular, calcium and magnesium, in edible items at appropriately high levels. The ingestion of the ultimate edible food items which, in the presence of their conventional levels of potassium, calcium and magnesium produce and maintain obesity, prevents the development of obesity and even markedly decreases the existing obesity  
20 when potassium and calcium and/or magnesium are incorporated according to this invention. Such an effect is surprising and totally unexpected since no weight reducing effect has been ascribed to these mineral elements. The preferable concentrations of magnesium, calcium and potassium in the ultimate food items vary according to the nature of the food item. For the different items prepared according to the method of the present invention, preferable  
25 concentrations in weight per cent range from 0-30 for magnesium, 0-30 for calcium and 0-50 for potassium, the highest values applying to the food seasoning which is used as an ingredient in the preparation of the ultimate food items.

Another objective of the invention is to provide a food seasoning which, when used in the  
30 method according to the invention, can provide the appropriate levels in the ultimate food items.

## EXPERIMENTS DEMONSTRATING THE EFFECTIVENESS OF THE INVENTION

The genetically obese Zucker rat provides a suitable model to examine the effects of various dietary factors or drugs on obesity.

5

Experiment 1

In this long-term (8-week) study, 20 obese Zucker rats which had reached an average weight of 465 grams, were divided into two sub-groups of 10 rats each.

- 10 Group 1 received conventional rat chow but common salt (sodium chloride) was incorporated at the level of 6 % , and cholesterol at the level of 1 % of the dry weight of the chow to mimic more closely the human diet. During the 8-week follow-up period the obesity of the rats increased further and the rats reached an average body weight of 520 grams and, hence, the average weight gain was 55 grams (11.8 %). This change was statistically highly significant (p<0.001).
- 15

- Group 2: This group of 10 Zucker rats received a diet which was prepared according to the present invention. The caloric and other content of diet was otherwise exactly the same as in Group 1, but additional magnesium was incorporated at the dietary level of 0.13 %, and additional potassium at the level of 1.57 %. During the 8-week follow-up period the minor weight increase in the average body weight to 472 grams (an average of 7 grams or 1.5 %) was statistically not significant (p>0.1). Hence the diet according to the invention reduced the development of obesity to as little as 12.7 % of that produced by the same diet without the utilization of the invention.
- 20
- 25 The diet according to the invention did not significantly (p>0.1) affect the high serum cholesterol level which was 9.7 mmol/l in Group 1 and 10.5 mmol/l in Group 2.

Experiment 2

- In this study the effectiveness of the present invention was examined in the Zucker rats when the rats were clearly obese and had reached an average body weight of 360 grams.
- 30

Group 1: The rats received a commercial diet containing all essential nutrients, including adequate levels of the mineral elements sodium, potassium, magnesium, and calcium, to maintain normal body functions. To mimic the current human diets even more closely than in Experiment 1, the diet also comprised 18 % of butter, 1 % of cholesterol and sodium chloride (common salt) at the level of 6 % of the dry weight of the diet.

During the following 2 weeks these 10 control rats receiving the above-mentioned diet reached an average body weight of 390 grams and, hence, gained on the average 30 grams (8 %) additional weight.

Group 2: This group of 10 Zucker rats received a diet which was prepared according to the present invention. The caloric and other content of diet was otherwise exactly the same as in Group 1, but additional magnesium was incorporated at the dietary level of 0.13 %, calcium at the level of 3 %, and potassium at the level of 1.57 %.

In the group receiving this diet according to the invention the average body weight was reduced to 325 grams and, hence, the rats lost weight on the average 35 grams (-10 %). Hence, while the body weight was increased by a diet prepared according to the prior art, the diet according to the invention reduced overweight. Overall, the diet according to the invention reduced the body weight by 17 % (325 grams versus 390 grams) as compared to Group 1.

The serum cholesterol level was significantly lowered by the invention ( $p < 0.05$ ). In Group 1 the serum cholesterol level was 10.5 mmol/l but the diet according to the invention lowered it to an average level of 8.3 mmol/l.

## DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the present invention, as the source of the mineral element nutrients, it is possible to use any physiologically acceptable magnesium, calcium, and potassium compound, as well as magnesium, calcium, and potassium bound in high concentrations naturally or artificially to dietary fibers.

Preferable magnesium compounds include, but are not limited to, in particular magnesium sulphate, magnesium chloride, magnesium hydroxide, magnesium oxide, and magnesium carbonate, but also many other compounds such as magnesium salts of amino acids, and mag-

nesium-rich dietary fibers and other physiologically acceptable magnesium compounds are possible.

5 Preferable calcium compounds include, but are not limited to, in particular calcium carbonate, calcium lactate, and calcium chloride, but also many other compounds such as calcium phosphates, calcium sulphate, calcium citrates, calcium tartrate, calcium acetate, calcium propionate, calcium alginate, calcium glutamate, calcium gluconate and other physiologically acceptable calcium compounds are possible.

10 Preferable potassium compounds include, but are not limited to, in particular potassium chloride, potassium(bi)carbonate, potassium lactate, and potassium sulphates, but also many other potassium compounds such as potassium phosphates, potassium tartrate, potassium acetate, potassium propionate, potassium alginate, potassium gluconate, potassium-rich dietary fibers, and other physiologically acceptable potassium compounds are possible.

15

The method in accordance with the present invention can be used for changing the composition of a number of food items, such as, for example, breads, cookies and biscuit-like products, sausages and other meat products, egg foods, dairy products, baby foods, salad dressings, and also for novel seasoning compositions. Seasoning compositions according to the present invention can be used for the seasoning of, for example, such food items as bacon, eggs, miso and other soups, porridge meals, corn flakes, rice flakes, rice cakes, wheat flakes, oat flakes, rye flakes, barley flakes, and various types of "muesli" which are prepared and seasoned according to conventional industrial practices, except that a part or all of the conventional seasonings and salt are replaced by the above described seasoning. In most instances the conventional use of common salt can be largely avoided by the use of the seasonings prepared according to the present invention.

Seasonings according to the present invention can also be used to replace a part of common salt in a great variety of other industrially prepared food items as well as in the preparation of foods both in restaurants, catering, home kitchens etc. Such seasonings are particularly suitable for soups, beefs and other foods in which salty and/or spicy seasonings are used, for the preparation of various food ingredient mixtures, such as, for example, flour or meal and salt mixtures for the preparation of bread, muesli, corn and rice flakes and breakfast cereal

products. These ingredient mixtures and seasonings, when added to various foods, change their composition in accordance with the present invention. The present invention could also serve as a suitable vehicle for supplementation of phytoestrogens, flavonoids, beta-carotene, vitamins A, D, and E as well as other vitamins; other mineral elements and other beneficial dietary factors, other active ingredients of natural origin, or even drugs.

#### Example 1. WHITE BREAD

10 A pre-mix is made of the following formulation:

Sodium chloride	0.60 kg
Magnesium sulphate ( $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ )	0.126 kg
Magnesium hydroxide ( $\text{Mg}(\text{OH})_2$ )	0.020 kg
Calcium carbonate	0.080 kg
15 Potassium chloride	0.294 kg
l-lysine hydrochloride	0.021 kg
Wheat flour	7.500 kg

The following ingredients are added to the pre-mix, and a conventional white bread is made in a conventional commercial baking operation by the straight dough method:

20 Wheat flour	30.00 kg
Vital wheat gluten	0.37 kg
Promosoy 13 <sup>1</sup>	0.55 kg
Format <sup>2</sup>	0.50 kg
25 Shortening (vegetable oil)	1.12 kg
Yeast	1.75 kg
Water	23.75 kg

<sup>1</sup>Contains soy protein isolate, non-fat dry milk and emulgators (Engelhardt & Co., Sweden)

30 <sup>2</sup>Contains diacetyl tartaric acid esters,  $\text{CaCO}_3$  and ascorbic acid with malt flour and sugar (Ireks Arkady, Germany)



The formulation, containing all the ingredients, is mixed at low speed, dough temperature 27 °C, floor time 30 min, baked in the form of Pullman loaves, fermentation ca. 40 min at 38-40 °C and 80 % relative humidity, baked for 30 min at an oven temperature of 230 °C. This is a good, commercial quality, standard white bread.

5

#### Example 2. RYE BREAD

A pre-mix is made of the following formulation:

	Sodium chloride	0.60 kg
10	Magnesium sulphate ( $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ )	0.126 kg
	Magnesium hydroxide ( $\text{Mg}(\text{OH})_2$ )	0.020 kg
	Calcium carbonate	0.080 kg
	Potassium chloride	0.294 kg
	L-lysine hydrochloride	0.021 kg
15	Rye meal <sup>1</sup>	9.57 kg

The following ingredients are added to the pre-mix, and a conventional sour rye bread is made in a conventional commercial baking operation:

20	Rye meal <sup>1</sup>	20.00 kg
	Vital wheat gluten	0.64 kg
	Coarse rye meal	5.71 kg
	Wheat flour	10.00 kg
	Yeast	0.67 kg
25	Water	33.37 kg

<sup>1</sup>Part of rye meal and water are fermented with natural starter overnight, final pH 3.9.

The formulation, containing all the ingredients, is mixed for 7 min at low speed, dough temperature 27 °C, dough pH 4.4, floor time 60 min, baked in the form of Pullman loaves, fermentation ca. 40 min at 38-40 °C and 70 % relative humidity, baked for 37 min at an oven temperature of 230 °C.

This is a good, commercial quality, standard sour rye bread.

Preferably, the concentrations by weight of the advantageous mineral elements in the final bread products made by the method according to the present invention are: Mg 0.01-1 %, Ca 0.01 - 1 %, and K 0.1 - 1.5 %.

### 5 Example 3. MARINADE

A marinade for various types of meats, fish and vegetables is made in a conventional commercial operation from the following formulation:

10	Vegetable oil	0.7680 kg
	Calcium chloride ( $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ )	0.0023 kg
	Magnesium sulphate ( $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ )	0.0023 kg
	Potassium chloride (KCl)	0.0054 kg
	Sodium chloride (NaCl)	0.0109 kg
15	L-Lysine hydrochloride	0.0004 kg
	Honey	0.0288 kg
	Vinegar (10 weight %)	0.0288 kg
	Spices	0.0096 kg

- 20 Calcium chloride, magnesium sulphate, potassium chloride, sodium chloride, L-lysine hydrochloride and honey are mixed with vinegar, and the mixture and the spices are added to the vegetable oil. All the ingredients are mixed thoroughly.

Preferably, the concentrations by weight of the advantageous mineral elements in the final marinades made by the method according to the present invention are: Mg 0 - 1 %, Ca 0 - 1

- 25 %, and K 0 - 2.5 %.

### Example 4. SEASONING

A mechanical mixture of the following formulation is made:

30	Calcium carbonate ( $\text{CaCO}_3$ )	3.80 kg
	Magnesium sulphate ( $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ )	0.910 kg
	Potassium chloride (KCl)	2.12 kg

Sodium chloride (NaCl)	4.32 kg
Sodium glutamate	0.40 kg
L-Lysine hydrochloride	0.15 kg
(Spices; optional)	1.00 kg

- 5 All the ingredients are mixed thoroughly with a conventional industrial mixer but by taking care that heat is not formed during the process.

Preferably, the concentrations by weight of the advantageous mineral elements in the final seasoning made by the method according to the present invention are: Mg 0 - 30 %, Ca 0 - 30 %, and K 0 - 50 %.

10

#### Example 5. SAUSAGE

A pre-mix of the following formulation is made:

Calcium chloride ( $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ )	0.057 kg
15 Magnesium sulphate ( $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ )	0.057 kg
Potassium chloride (KCl)	0.132 kg
Potassium lactate	0.090 kg
Sodium chloride (NaCl)	0.270 kg
Sodium lactate	0.090 kg
20 L-Lysine hydrochloride	0.010 kg

This pre-mix is thoroughly mixed with the following ingredients:

Meat, including natural fat	12.500 kg
Milk powder	0.840 kg
25 Potato starch	1.160 kg
Water	6.450 kg
Sodium nitrite ( $\text{NaNO}_2$ , 10 % solution)	0.030 kg
Spices	0.085 kg

- 30 The sausage is processed according to generally known conventional industrial techniques.

**Example 6. MINCEMEAT STEAK (HAMBURGER STEAK)**

	Minced meat	9.67 kg
5	Seasoning of example 4 (with spices)	0.26 kg

The seasoning is mixed with the minced meat. Thereafter the mincemeat steak is prepared according to the processes conventionally used in the preparation of steaks, e.g. for Hamburger restaurants. One serving is a 200 gram steak.

10

**Example 7. STEAK OF MINCED FISH**

	Minced fish	9.67 kg
15	Seasoning of example 4 (with spices)	0.26 kg

The seasoning is mixed with the minced fish. Thereafter the steak of minced fish is prepared according to the processes conventionally used in the preparation of steaks for Hamburger restaurants. One serving is a 200 gram steak.

20

**Example 8. SOY STEAK**

	Soy protein mixture	9.67 kg
	Seasoning of example 4 (with spices)	0.26 kg

25

The seasoning is mixed with the soy protein mixture conventionally used for the preparation of soy steaks. Thereafter the steak is prepared according to the processes conventionally used in the preparation of soy steaks. One serving is a 200 gram steak.

30 Preferably, the concentrations by weight of the advantageous mineral elements in the final sausage or steak products made by the method according to the present invention are: Mg 0.01-1.5 %, Ca 0.01 - 1.5 %, and K 0.1 - 1.5 %.

## Exempl 9. MAYONNAISE

	Vegetable oil	0.650 kg
5	Calcium chloride ( $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ )	0.0012 kg
	Magnesium sulphate ( $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ )	0.0012 kg
	Potassium chloride (KCl)	0.0028 kg
	Sodium chloride (NaCl)	0.0057 kg
	L-Lysine hydrochloride	0.0002 kg
10	Sugar	0.030 kg
	Vinegar (10 weight %)	0.030 kg
	Mustard	0.020 kg
	Water	0.194 kg

15 The mayonnaise is prepared by homogenization by conventional industrial methods.

## Example 10. MIXTURE OF VEGETABLE OIL AND BUTTER

20	Vegetable oil	0.350 kg
	Butter	0.478 kg
	Calcium chloride ( $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ )	0.0024 kg
	Magnesium sulphate ( $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ )	0.0024 kg
	Potassium chloride (KCl)	0.0056 kg
25	Sodium chloride (NaCl)	0.0114 kg
	L-Lysine hydrochloride	0.0004 kg

The other ingredients are added to the vegetable oil + butter mixture and mixed according to conventional dairy practice to make the mixture of vegetable oil and butter.

30

## Example 11. SALAD DRESSING

Vegetable oil	2.0000 kg
Calcium chloride ( $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ )	0.0048 kg
Magnesium sulphate ( $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ )	0.0048 kg
Potassium chloride (KCl)	0.0112 kg
5 Sodium chloride (NaCl)	0.0228 kg
L-Lysine hydrochloride	0.0008 kg
Vinegar (10 weight %)	0.1200 kg
Water	1.6360 kg

- 10 The salad dressing is prepared by homogenization by conventional industrial methods. Preferably, the concentrations by weight of the advantageous mineral elements in the final salad dressing or mayonnaise products made by the method according to the present invention are: Mg 0 - 3 %, Ca 0 - 3 %, and K 0 - 3 %.

15 Example 12. YOGURT

During the preparation of 100 kg of yogurt according to conventional commercial techniques the following ingredients are added and carefully mixed:

20 Magnesium oxide ( $\text{MgO}$ )	0.225 kg
Calcium carbonate ( $\text{CaCO}_3$ )	0.100 kg
Potassium lactate	0.300 kg

- 25 Preferably, the concentrations by weight of the advantageous mineral elements in the final yogurt made by the method according to the present invention are: Mg 0.1-3 %, Ca 0.1 - 3 %, and K 0.1 - 3 %.

## CLAIMS:

1. A method of producing food seasoning, food ingredient and/or food item compositions which prevent and decrease obesity, characterized by the addition of at least one mineral  
5 element nutrient selected from the group consisting of magnesium, calcium and potassium, so that the final concentration of magnesium is 0 to 30 % by weight, that of calcium is 0 to 30 % by weight, and that of potassium is 0 to 50 % by weight.
2. A method according to claim 1, comprising incorporating in a bread, cookie or biscuit-  
10 like food item at least one of magnesium, calcium, and potassium in an amount producing in the ultimate edible food item a magnesium concentration by weight of between 0.01 to 1 %, a calcium concentration by weight of between 0.01 to 1 %, and a potassium concentration by weight of between 0.1 to 1.5 %.
3. A method according to claim 1 comprising incorporating in a sausage or steak food item  
15 at least one of magnesium, calcium, and potassium in an amount producing in the ultimate edible sausage or steak a magnesium concentration by weight of between 0.01 to 1.5 %, a calcium concentration by weight of between 0.01 to 1.5 %, and a potassium concentration by weight of between 0.1 to 1.5 %.
4. A method according to claim 1 comprising incorporating in a vegetable oil-butter mixture  
20 at least one of magnesium, calcium, and potassium, in an amount producing in the ultimate edible vegetable oil-butter mixture a magnesium concentration by weight of between 0 to 0.4 %, a calcium concentration by weight of between 0 to 1 %, and a potassium concentration  
25 tion by weight of between 0 to 1 %.
5. A method according to claim 1 comprising incorporating in a marinade at least one of  
magnesium, calcium, and potassium in an amount producing in the ultimate marinade a  
magnesium concentration by weight of between 0 to 1 %, a calcium concentration by  
30 weight of between 0 to 1 %, and a potassium concentration by weight of between 0 to 2.5  
%.

6. A method according to claim 1 comprising incorporating in a salad dressing at least one of magnesium, calcium, and potassium in an amount producing in the ultimate salad dressing a magnesium concentration by weight of between 0 to 3 %, a calcium concentration by weight of between 0 to 3 %, and a potassium concentration by weight of between 0 to 3 %.

5

7. A method according to claim 1 comprising incorporating in a mayonnaise at least one of magnesium, calcium, and potassium in an amount producing in the ultimate mayonnaise a magnesium concentration by weight of between 0 to 3 %, a calcium concentration by weight of between 0 to 3 %, and a potassium concentration by weight of between 0 to 3 %.

10

8. A method according to claim 1 comprising incorporating in a yogurt at least one of magnesium, calcium, and potassium in an amount producing in the ultimate yogurt a magnesium concentration by weight of between 0.01 to 3 %, a calcium concentration by weight of between 0.1 to 3 %, and a potassium concentration by weight of between 0.1 to 3 %.

15

9. A food seasoning, characterized by a magnesium concentration by weight of between 0 to 30 %, a calcium concentration by weight of between 0 to 30 %, and a potassium concentration by weight of between 0 to 50 %.

20 10. Use of a food seasoning according to claim 9 in food items.



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 97/00798

<b>A. CLASSIFICATION OF SUBJECT MATTER</b>		
IPC6: A23L 1/237, A23L 1/304, A61K 33/00 According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b>		
Minimum documentation searched (classification system followed by classification symbols)		
IPC6: A23L, A61K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
SE,DK,FI,NO classes as above		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
CAPLUS, WPI, EPODOC		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 9000522 A1 (AB HANSON & MÖHRING), 25 January 1990 (25.01.90), abstract, claims 1-2,4 --	1-10
X	WO 9629890 A1 (FELBENA AG), 3 October 1996 (03.10.96), page 9, lines 30-35; claim 1 --	1-10
X	DE 2305980 A (F. HOFFMANN-LA ROCHE & CO AG), 30 August 1973 (30.08.73), page 3, lines 17-27, example, claims --	1-10
X	US 4883788 A (CHARLES E. DAY ET AL), 28 November 1989 (28.11.89), abstract, claims 1, 3-5 --	1-10
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search		Date of mailing of the international search report
9 April 1998		15-04- 1998
Name and mailing address of the ISA/ Swedish Patent Office Box 5055, S-102 42 STOCKHOLM Facsimile No. +46 8 666 02 86		Authorized officer  Jack Hedlund Telephone No. +46 8 782 25 00

Form PCT/ISA/210 (second sheet) (July 1992)

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 97/00798

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0117653 A1 (THE PROCTER & GAMBLE COMPANY), 5 Sept 1984 (05.09.84), abstract  --	1
X	GB 2266217 A (FUJI OIL COMPANY LIMITED), 27 October 1993 (27.10.93), abstract  -- -----	1

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

02/03/98

International application No.

PCT/FI 97/00798

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9000522 A1	25/01/90	AT 128697 T AU 3981089 A DE 68924489 D,T EP 0441786 A,B SE 0441786 T3 JP 3505969 T SE 465669 B SE 8802635 A	15/10/95 05/02/90 07/03/96 21/08/91 26/12/91 14/10/91 16/01/90
WO 9629890 A1	03/10/96	NONE	
DE 2305980 A	30/08/73	AT 322744 B AU 451930 B AU 5145573 A BE 795828 A CA 1023990 A FR 2173263 A,B GB 1356097 A JP 48096717 A NL 7301863 A ZA 7300467 A	10/06/75 22/08/74 25/07/74 23/08/73 10/01/78 05/10/73 12/06/74 10/12/73 28/08/73 31/10/73
US 4883788 A	28/11/89	CA 1309352 A US 4824672 A	27/10/92 25/04/89
EP 0117653 A1	05/09/84	SE 0117653 T3 AU 559577 B AU 2393684 A CA 1214065 A JP 1601480 C JP 2023154 B JP 59187768 A US 4551342 A	12/03/87 02/08/84 18/11/86 18/02/91 23/05/90 24/10/84 05/11/85
GB 2266217 A	27/10/93	NONE	

Form PCT/ISA/210 (patent family annex) (July 1992)

**THIS PAGE BLANK (USPTO)**